

MOEN® 摩恩

Specifications

产品特点 Main Features of the Product:

座圈加热、抗菌座圈、智能节电、旋钮控制、主机开关控制、
座温调节、离座冲水、侧边键冲水、空气隔离、防止逆流、安全保护等。

Seat Heating, Antimicrobial Seat, Smart Energy Saving, Turning
Knob, Power Switch, Seat Temperature Adjustment,
Automatic Flushing, Side Button Flushing, Air Isolation,
Anti Counterflow, Safety Protection etc.

产品规格 Product Specification: 683mm*398mm*504mm

洗净方式 Flushing Method: 超旋式冲洗 Super-spin flushing

坑距 Rough-in: 305mm(SW1053C/SW1053D)
400mm(SW1054C/SW1054D)

输入 Intup: 220V~50Hz

额定功率 Rated Power: 42W

电击防护类别 Electric Shock Protection Category: TYPE II

防水等级 Waterproof Level: IPX4

安全装置 Safety Devices:


温度保险丝

Hermal Cutoff

执行标准 Execute Standard:

GB 4706.53-2008

GB/T 6952-2015



贝拉系列 Bella Series

轻智能一体坐便器

Easy Smart Intergrated Toilet

Models:

SW1053C(坑距 Rough-in: 305mm)

SW1053D(坑距 Rough-in: 400mm)

SW1054C(坑距 Rough-in: 305mm)

SW1054D(坑距 Rough-in: 400mm)

注意: 本公司保留随时变更图中
标示尺寸的权利, 无需另行通知。


Note: The company reserves the
right to change the dimensions on
the drawing without prior notice.

完工墙面


Completion of metope

单位: mm


Unit: mm



侧面图 Side View



正视图 Front view



俯视图 Top View

CRITICAL DIMENSIONS DO NOT SCALE


功能表 Function Table

功能分类 Functional Classification	型号 Model	SW1053C/D SW1054C/D
	功能 Function	
冲水类 Washing	虹吸冲水 Siphon Flushing	●
	易洁釉面 Easy Clean Glaze	●
	预润净瓷 Pre-flushing	●
	离座冲水 Automatic Flushing	●
	侧边键冲水 Side Button Flushing	●
舒适便捷类 Comfort and Convenience	座圈加热 Seat Heating	●
	抗菌座圈 Antimicrobial Seat	●
	舒适座圈 Comfortable Seat	●
	座盖缓降 Soft-close Cover	●
	座圈缓降 Soft-close Seat	●
	便捷拆卸 Easy Disassembly	●
	来电自启 Auto-start	●
	智能节电 Smart Energy Saving	●
控制类 Controlling	休眠模式 Automatic Power Off	●
	旋钮控制 Turning Knob	●
	主机开关控制 Power Switch	●
	座圈感应 Sitting Sensor	●
安全类 Safety	座温调节 Seat Temperature Adjustment	●
	空气隔离 Air Isolation	●
	防止逆流 Anti Counterflow	●
	安全保护 Safety Protection	●


备注: ● 代表产品有此功能。 Note: ● Indicates that the product has this function.

CRITICAL DIMENSIONS DO NOT SCALE

一. 功能使用说明 Basic Use Function



CRITICAL DIMENSIONS DO NOT SCALE



座温调节 Seat Temperature Adjusting

旋钮前旋1次座温加1档直到最高档。

旋钮后旋1次座温减1档直到最低档。

座温4档可调：常温档、低档(34℃)、中档(37℃)、高档(39℃)。

上电后默认为中档。着座后温度自动降低到33℃。

※以上温度仅为参考值。

座温档位提示音：关档(叮)、低档(咚)、中档(咚咚)、高档(咚咚咚)。

Turn the knob forward once to increase the seat temperature, until the highest level.

Turn the knob back once to reduce the seat temperature, until it reaches the lowest level.

The seat temperature can be adjusted in 4 levels: normal, low (34℃), medium(37℃), high(39℃).

The default is mid-range after power-on. after seating the temperature will automatic adjust to 33℃.

※The above temperature values are only for reference.

Seat temperature range prompt sound: Off(ding), Low gear(dong), Medium gear(dong dong), and High gear(dong dong dong).

⚠ 警告 WARNING

对于儿童、老人、病人、皮肤不良或感觉迟钝者、无法自行调节温度者、饮酒过度等人群，在使用本产品时，坐好后须将座圈上的温度设在“低”档或“关”档，并请陪伴者观察情况再使用。

注意：请勿长时间使用，否则有可能造成低温烫伤。

Note: For some special groups, such as children, the elder, patients, people with poor skin or dull senses, those who cannot adjust the temperature themselves, and heavy drinkers, when using the product, they should sit well and set the temperature of the seat to the "LOW" or "OFF" gear, and ask the companion to observe the situation before use.

※Do not use for a long time, otherwise, it may cause low-temperature burns.

离座冲水 Automatic Flushing

当人体着座后离座会自动进行一次冲水。

※着座状态下，长按旋钮中间键3秒，开启或关闭离座冲水功能。

When the human body leaves the seat after seating, it will automatically flush once.

※In the seat state, press the middle button of the knob for 3 seconds to turn on or off the off-seat flushing function.

CRITICAL DIMENSIONS DO NOT SCALE